



Description

Forged brass caps and plugs with chains, hose threaded, 300 lbs rated.
Available with pin or rocker lugs.

Technical data

- Rated pressure: 300 PSI
- Body: forged brass
- Chain: brass

Product specifications

A80

Female cap with chain, hose thread with PIN/ROCKER lugs with main feature as following: forged brass body, brass chain, rated pressure 300 psi.

A81

Male plug with chain, hose thread with PIN/ROCKER lugs with main feature as following: forged brass body, brass chain, rated pressure 300 psi.

Additional information

For more information, go to www.giacomini.com or contact our technical assistance service: ☎ +39 0322 923372 📠 +39 0322 923255 ✉ consulenza.prodotti@giacomini.com

This document provides only general indications. Giacomini S.p.A. may change at any time, without notice and for technical or commercial reasons, the items included herewith.


The information included in this technical sheet do not exempt the user from strictly complying with the rules and good practice standards in force.

Giacomini S.p.A. Via per Alzo, 39 - 28017 San Maurizio d'Opaglio (NO) Italy




Dimensions

A80



Code	A [mm]	B [mm]
A80Y003	70	31,5
A80Y103	70	31,5
A80X004	69	31,5
A80Y004	69	31,5
A80Y104	69	31,5
A80X001	76	31,5
A80X101	76	31,5
A80Y001	76	31,5
A80Y005	78	31,5
A80Y041	109	39
A80X064	109	39
A80X164	109	39
A80Y064	109	39
A80Y164	109	39
A80X062	109	39
A80Y062	109	39
A80Y162	109	39
A80Y017	109	39
A80Y074	109	39
A80X072	115	39
A80Y072	115	39
A80X011	109	39
A80X111	109	39
A80Y011	109	39
A80Y111	109	39
A80X012	109	39
A80X112	109	39
A80Y012	109	39
A80X070	115	39
A80Y070	115	39
A80Y013	109	39
A80Y115	109	39
A80X066	109	39
A80Y066	109	39
A80Y166	109	39
A80Y067	115	39
A80X068	115	39
A80Y068	115	39
A80Y019	127	43,5
A80Y022	109	39
A80Y021	109	39
A80Y035	109	39
A80Y135	109	39
A80Y043	109	39
A80Y045	109	39
A80Y047	109	39
A80Y023	109	39
A80Y050	109	39
A80Y075	109	39
A80Y076	109	39
A80Y031	115	39
A80Y033	115	39
A80Y029	115	39
A80Y037	115	39

A81



Code	A [mm]	B [mm]
A81Y003	66	38,8
A81Y001	66	38,8
A81Y016	104	56,4
A81X063	104	56,4
A81Y063	104	56,4
A81X064	101	56,4
A81X164	101	56,4
A81Y064	101	56,4
A81Y164	101	56,4
A81X162	101	56,4
A81Y062	101	56,4
A81Y162	101	56,4
A81Y139	107,2	56,4
A81Y074	101	56,4
A81X172	101	56,4
A81Y072	101	56,4
A81Y172	101	56,4
A81X011	107,2	56,4
A81X111	107,2	56,4
A81Y011	107,2	56,4
A81X112	101	56,4
A81Y012	101	56,4
A81X170	101	56,4
A81Y070	101	56,4
A81Y170	101	56,4
A81Y015	107,2	56,4
A81Y115	107,2	56,4
A81X113	107,2	56,4
A81Y013	107,2	56,4
A81Y014	101	56,4
A81X066	101	56,4
A81X166	101	56,4
A81Y066	101	56,4
A81Y166	101	56,4
A81X068	101	56,4
A81X167	101	56,4
A81Y068	101	56,4
A81Y168	101	56,4
A81Y080	125	60,1
A81Y081	125	60,1
A81Y021	104	56,4
A81Y035	107,2	56,4
A81Y036	107,2	56,4
A81Y043	107,2	56,4
A81Y119	107,2	56,4
A81Y023	107,2	56,4
A81Y017	104	56,4
A81Y018	107,2	56,4
A81Y029	104	56,4
A81Y037	107,2	56,4